

4G / 5G Product Catalog

One Connection - Infinite Possibilities

www.dlink.com



Table of Contents

- About D-Link
- p.06 Broadband Without Boundaries: Fixed and Mobile Solutions
- p.08 4G/5G Product Portfolio
- p.10 Fixed-Wireless Access Series
 - ODU/IDU Series
 - Indoor CPE Series
- p.14 On-the-go Internet Series
 - Wi-Fi Mobile Hotspot
 - USB Adapter
- p.16 **Product Specifications**
- p.19 **Product List**

About D-Link

D-Link, a renowned global brand and leader in the networking industry, was established in 1987 in Taiwan. With operations in 90 locations across 43 countries, D-Link provides networking solutions for individuals, homes, businesses, and industries, including a comprehensive range of industryleading network solutions and AI-driven cloud management services. With nearly four decades of experience, D-Link has accumulated loyal clients and dependable partners worldwide.

Since joining the Taiwan Steel Group in 2020, D-Link embraces "MIT quality, stylish design, smarter living, superior performance, and ecofriendliness" as the cornerstone of its brand identity. The products prioritize intelligence, superior MIT quality, and sustainability, while also demonstrating excellence in corporate governance, sustainability, and design. D-Link 's remarkable achievements are acknowledged on a global scale.

Anticipating the future, D-Link will maximize synergy, strengther leadership in the networking industry, continue the legacy of innovation and excellence, and realize the vision of "One Connection-Infinite Possibilities."

MIT QUALITY



Dedicated to "Made in Taiwan" (MIT), D-Link passionately ensures heartfelt product quality for our customers.

STYLISH DESIGN



style.

Contemporary and Al-powered of sophisticated design propels your tailored to complement your modern home

SMART LIVING



Al-powered connectivity Innovative propels your home into smart living. performs enhance

SUPERIOR PERFORMANCE




Innovative engineering for robust, reliable performance, and enhanced network security.

ECO-FRIENDLINESS



D-Link is committed to environmental sustainability, embracing the 3Rs (Recycle, Reuse, Reduce) and designing with the planet in mind for energy efficiency.



35+ Years of networking experience

Sales offices in 43 countries

RMA centers


1590+ Employees globally

4G/5G Product Catalog

Broadband Without Boundaries: Fixed and Mobile Solutions

Explore the future of connectivity with D-Link's advanced 4G/5G solutions through two specialized solutions: Fixed-Wireless Access and On-the-go Internet. Each is crafted to deliver fast, flexible Internet regardless of location. Fixed-Wireless Access efficiently closes the 'last mile' gap, enhancing coverage in remote areas without extensive infrastructure, making it ideal for expanding network reach in underserved locations. On-the-go Internet offers reliable, high-speed connectivity for those needing Internet access while on the move, ensuring you stay connected wherever life takes you.

D-Link provides these innovative broadband solutions to overcome traditional limits, tailored to both static and dynamic needs. Discover how our services can transform your connectivity experience.



Fixed Wireless Access Series



• ODU/IDU Series

Convert 5G to high-speed Wi-Fi/Ethernet, ideal for outdoor, buildings, and rural areas, ensuring robust connectivity.

- · High Speed Internet Access
- PoE LAN
- · IP67 Outdoor Protection
- · Plug & Play
- External Antenna Support



Indoor CPE Series

The D-Link 5G Indoor CPE series offers high-speed Internet access with advanced features, perfect for homes, small offices, and gaming enthusiasts.

- High Speed Internet Access
- Wi-Fi 6/Wi-Fi 7 connectivity
- · Mesh Network
- WAN Failover
- · Hassle-Free Network Setup

On-the-go Internet Series



USB Adapter Series

For individual mobile users connect everywhere, USB Adapter Series can be used for embedded system as a backup connection.

- 5G NR/4G LTE Multi-Network Support
- Plug & Play
- Foldable Antenna Design




• Wi-Fi Mobile Hotspot Series


Ideal for mobile user groups, enabling high-speed broadband connectivity everywhere and ensuring reliable Internet on the go.

- High-Speed Connectivity
- Portability and Convenience
- · User-Friendly Management
- Larger Battery Capacity

4G/5G Product Portfolio

As we innovate in the 5G and Wi-Fi 6 & 7 era, our 4G/5G product portfolio highlights our commitment to delivering cutting-edge technology, exceptional performance, and unparalleled reliability across diverse sectors.







Higher Speed

Enjoy faster data speeds for superior performance.



Ubiquitous Access

Connect in diverse locations without extensive wiring.



Low Latency

ations 5G technology ensures real-time responsiveness.



No Fixed-Line Needed

Simplified installation with no need for traditional infrastructure.



Quick Installation

No cable laying required, enabling immediate highspeed Internet access.



Security & Privacy

Keep your network secure with guest Wi-Fi, WPA3 encryption, and security certifications.



App Control

re with App and cloud service allow ption, to access the device anywhere, anytime.




Wi-Fi Mesh

Wi-Fi Mesh intelligently finds best path, providing better wireless coverage. Fixed Wireless Access /

ODU/IDU Series

The D-Link ODU/IDU (Outdoor Unit/Indoor Unit) series, part of the Fixed Wireless Access lineup, features two powerful devices for superior connectivity. Utilizing cutting-edge 5G technology, this setup surpasses traditional DSL broadband, offering ultra-fast, low-latency Internet. It ensures consistent, reliable, high-speed access for streaming, gaming, remote work, and smart home and office integrations. Also fast, flexible deployment saves time and cost, while easy setup and management make it ideal for areas far from the cellular base station.





Ultra-Fast 5G Speed

Sub-6 GHz 5G NR and Wi-Fi 6 technology to deliver faster speeds.



Security & Privacy

Keep your network secure with guest Wi-Fi, WPA3 encryption, and security certifications including EN 303 645 and IEC 62443-4-1.



Low Latency

5G technology engineered for real-time applications with ultra-low latency.



Plug & Play

A built-in SIM slot enables you to access high-speed 5G and Wi-Fi networks anywhere.



Easy Setup & Management

PoE-supported enables cost-effective Ethernet connection to the ODU.



IP67 Weatherproof

The IP67-rated ensures reliable connectivity and extended product life in outdoor environments.

ODU/IDU



5G NR AX1800 Wi-Fi 6 Outdoor Router

(DWP-1010W)

- High-Speed 5G NR
- IP67 Weatherproof • Wi-Fi 6 Network Access



5G NR Outdoor Router

DWP-1010

- High-Speed 5G NR
- IP67 Weatherproof
- 5G/LTE Dual Mode Support

DWP-1010KT



(X530P)



5G NR Outdoor Router

(DWP-1010)

- High-Speed 5G NR
- IP67 Weatherproof5G/LTE Dual Mode Support




AX3000 Wi-Fi 6 PoE Router

(X530P)

- Wi-Fi 6 speeds up to 3 Gbps**
- Dual Gigabit Ports
- Expanded Coverage
- PoE Power Supply

Connection Diagram



Fixed Wireless Access /

Indoor CPE Series





Ultra-Fast 5G Speed

Sub-6 GHz 5G NR and Wi-Fi 6 technology to deliver faster speeds.



Wi-Fi Mesh

Wi-Fi Mesh intelligently finds best path, providing better wireless coverage.



Low Latency

5G Technology engineered for real-time applications with ultra-low latency.



Security & Privacy

Keep your network secure with guest Wi-Fi, WPA3 encryption, and security certifications including EN 303 645 and IEC 62443-4-1.



Plug & Play

A built-in SIM slot enables you to access high-speed 5G and Wi-Fi networks



Access Anywhere

App and cloud service allow to access the device anywhere, anytime.

Indoor CPE



5G NR BE7200 Wi-Fi 7 Voice Router **G572V**

- High-Speed 5G NR
- Ultra-fast BE7200 Wi-Fi 7 speed
- Support 5G NSA/SA and 4G LTE
- Support VoLTE



5G NR BE7200 Wi-Fi 7 Router

- G572
- Ultra-fast BE7200 Wi-Fi 7 speed • Support 5G NSA/SA and 4G LTE
- Strong security with guest Wi-Fi and WPA3



• High-Speed 5G NR

- High-Speed 5G NR
- Access available anytime via app and cloud.

5G NR AX3000

Wi-Fi 6 Router

G530







5G NR AX3000 Wi-Fi 6 Router

G530

- 5G speed up to 3.4 Gbps*
- · Access available anytime via app and cloud.
- Strong security with guest Wi-Fi and WPA3



AX3000 Wi-Fi 6 Router

(X530)

- Wi-Fi 6 speeds up to 3 Gbps**
- High-Speed connectivity with gigabit LAN/WAN ports



AX1500 4G CAT6 **Smart Router**



- 4G LTE CAT6 Connectivity at up to 300 Mbps
- Wi-Fi 6 (802.11AX) Support, up to 1500 Mbps
- 1 x 10/100/1000 Gigabit Ethernet WAN Port with automatic failover



AX1500 4G **Smart Router**



- 4G LTE CAT4 Connectivity at up to 150 Mbps
- Wi-Fi 6 (802.11AX) Support, up to 1500 Mbps
- 1 x 10/100/1000 Gigabit Ethernet WAN Port with automatic failover




- 4G LTE CAT4 Connectivity at up to 150 Mbps
- Support Wi-Fi 4 (802.11n), Speed up to 300 Mbps
- 1 x 10/100 Mbps Ethernet WAN Port with automatic failover

Connection Diagram

- Ethernet Cable --- LTE/5G Signal

---- RI11



12 4G/5G Product Catalog 13 4G/5G Product Catalog

On-the-go Internet Series

Stay connected wherever you are with D-Link's On-the-go Internet series, featuring the USB Adapter and Wi-Fi Mobile Hotspot. These devices offer fast and reliable Internet access using advanced 4G/5G technology, ideal for mobile professionals and frequent travelers. They eliminate the need for fixed-line infrastructure, providing high-speed broadband on the move. Perfect for online gaming, video conferencing, and seamless Internet browsing, these products ensure you stay connected in any location.





High-Speed Connectivity

Achieve fast mobile broadband with 5G and 4G LTE technology for reliable, low-latency Internet access.



Simple Setup

Easy to set up with built-in software, no complicated installation required.



Enhanced Security

Built-in firewall and WPA3 security protocols protect your data from unauthorized access.



Travel-Friendly Design

Pocket-sized with a built-in battery, making it easy to carry and perfect for on-the-go use.



Versatile Compatibility

Compatible with various cellular networks (back compatible to 2G/3G network) for consistent connectivity anywhere.



Flexible Usage

Connect multiple Wi-Fi devices and enjoy seamless Internet access for business trips, travel, and remote work.

Wi-Fi Mobile Hotspot /



5G NR AX3000 Wi-Fi 6 Mobile Hotspot (F530)

- Fast Internet with 5G technology
- Supports Wi-Fi 6 for improved efficiency
- Wi-Fi hotspot for on-the-go Internet
- Large-capacity battery for longer use
- Secure connection with WPA3 encryption



4G LTE N300 Wi-Fi Mobile Hotspot (DWR-932W)

- Uses a SIM card to connect to the Internet
- Compatible with 802.11n/g/b wireless devices
- Type-C port for easy charging
- Up to five hours of battery in one charge
- microSD card for storage expansion

USB Adapter /



5G NR USB Adapter

(D501)

- Fast Internet speeds with 5G technology
- Easy installation via USB type C
- Flexible and mobile for on-the-go 5G access
- Compatible with Windows and Mac OS
- Built-in SIM card slot




4G LTE USB Adapter

DWM-222W

- Integrated SIM card slot
- 4G LTE with up to 150 Mbps* download
- USB 2.0 port
- microSD card for storage expansion

Connection Diagram



14 4G/5G Product Catalog 4G/5G Product Catalog 15

Product Specifications / Fixed Wireless Access Series

Non-Product Image	Model	DWP-1010W	DWP-1010	X530P	G572V	G572
Note	Description		5G NR Outdoor Router			
56 NR Sub 6 Release 16 Release 18 (UL) Release 16 (CL) (CL) (CL) (CL) (CL) (CL) (CL) (CL)	Product Image		Fran	Name of the state		None 2
Cat 19 CAT 19 CAT 18 CAT 19 C	Hardware					
Wi.F. 802.11ax, 1800Mbps 802.11a fr setup 802.11ax, 2000Mbps 802.11bx, 7200Mbps 801.10bx 802.11bx, 7200Mbps 801bx 802.11bx, 7200Mbps 7204A	5G NR Sub 6	Release 16	Release 16	_	Release16	Release16
LTEYS Antenan 4 Int. or 7 Int 7 ext. 4 Int. or 2 Int 2 ext. 2 Int. or 2 Int 2 ext. 3 Int. or 2 ext. 3 In	LTE	Cat 19 (DL)/ Cat 18 (UL)	Cat 19 (DL)/ Cat 18 (UL)	-	Cat 19 (DL)/Cat 18 (UL)	Cat 19 (DL)/Cat 18 (UL)
LTEYS Antenan 4 Int. or 7 Int 7 ext. 4 Int. or 2 Int 2 ext. 2 Int. or 2 Int 2 ext. 3 Int. or 2 ext. 3 In	Wi-Fi	802.11ax, 1800Mbps	802.11n for setup	802.11ax, 3000Mbps	802.11be, 7200Mbps	802.11be, 7200Mbps
Power 25W PoE 25W PoE 12W/4A 25 GE 25 GE<	LTE/5G Antenna					
WAN Port (R)45)	Wi-Fi Antenna	2 Int.	2 Int.	4 Int.	8 int.	8 int.
LAN POT (R/MS) 2.5GE 2.5GE GE x 2 GE x 4 GE x 4 PG 6 out on WAN -	Power	25W PoE	25W PoE	12V/4A	12V/4A	12V/4A
LAN Port (N/HS) 2.56E 6 € x 2 6 € x 4 GE x 4 PG ed uch wNA - - - - SIM SION Micro SIM - Nano SIM Nano SIM Buttons Reset, Wi-Fi Reset, WPS, power Power -	WAN Port (RJ45)	-		2.5 GE	2.5 GE	2.5 GE
Poe out on WAN	LAN Port (RJ45)	2.5GE	2.5GE			
SIM Siot Micro SIM Micro SIM	PoE out on WAN					
Buttons Reset, Wi FI Reset, WPS, power Reset, WPS, power Reset, WPS, power LEDs 2 1 1 1 1 Functionality VIII 4 2 1 1 1 Failouer -	SIM Slot	Micro SIM	Micro SIM		Nano SIM	Nano SIM
Dial Up	Buttons	Reset, Wi-Fi	Reset, Wi-Fi	Reset, WPS, power	Reset, WPS, power	Reset, WPS, power
Dial Lip -<	LEDs	2		·		-
Failover -<	Functionality					
Data Cap -<	Dial Up	•	•	_	•	•
SMS •	Failover	-	=	-	•	•
PIN •	Data Cap	•	•	-	•	•
USSD -	SMS	•	•	=	•	•
Number Static IP/ Dynamic IP/ Static IP/Dynamic IP Static IP/Dynamic IP/Dynamic IP/Dynamic IP Static IP/Dynamic IP/Dyna	PIN	•	•	-	•	•
Static IP/ Dynamic IP/ PPPOE Static IP/Dynamic IP S	USSD	-	-	-	-	-
PPPOE	Wi-Fi Mesh	-	-	•	•	•
Dynamic DNS • <th< td=""><td>Static IP/ Dynamic IP/ PPPoE</td><td>Static IP/Dynamic IP</td><td>Static IP/Dynamic IP</td><td>•</td><td>•</td><td>•</td></th<>	Static IP/ Dynamic IP/ PPPoE	Static IP/Dynamic IP	Static IP/Dynamic IP	•	•	•
DHCP Server • <th< td=""><td>IPv4/v6</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	IPv4/v6	•	•	•	•	•
Wi-Fi Encryption (WPA2) WPA2 • </td <td>Dynamic DNS</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Dynamic DNS	•	•	•	•	•
WPA3) WPA2 Wi-Fi Guest Zone -	DHCP Server	•	•	•	•	•
Virtual Server •	Wi-Fi Encryption (WPA2/ WPA3)	•	WPA2	•	•	•
Port Forwarding -	Wi-Fi Guest Zone	•	_	•	•	•
DMZ •	Virtual Server	•	•	•	•	•
IGMP proxy/ snooping -	Port Forwarding	•	-	•	•	•
SPI Firewall - <t< td=""><td>DMZ</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	DMZ	•	•	•	•	•
DoS -	IGMP proxy/ snooping	•	-	•	•	•
L2TP - - •	SPI Firewall	•	-	•	•	•
PPTP - - •	DoS	•	-	•	•	•
MLD Proxy/Snooping - - - •	L2TP	•	-	•	•	•
UPnP (IGD) - - •	PPTP	•	-	•	•	•
VLAN - •	MLD Proxy/Snooping	-	-	_	•	•
Parental Control - - •	UPnP (IGD)	•	-	•	•	•
Voice VolTE - Management Web Management • • • • • •	VLAN	-	•	•	•	•
Management Web Management • • • • • •	Parental Control	-	-	•	•	•
Web Management • • • • •	Voice	-	-	-	VoLTE	-
	Management					
TR-069/TR-369 • • • •	Web Management	•	•	•	•	•
	TR-069/TR-369	•	•	•	•	•

	CF20	V520	CHC	CAAF	6402
Model	G530	X530	G416	G415	G403
Description	5G NR AX3000 Wi-Fi 6 Router	AX3000 Wi-Fi 6 Router	AX1500 4G CAT6 Smart Router	AX1500 4G Smart Router	N300 4G Smart Router
Product Image		the state of the s			
Hardware					
5G NR Sub 6	Release16	-	-	-	-
LTE	Cat 19 (DL)/Cat 18 (UL)	-	Cat 6	Cat 4	Cat 4
Wi-Fi	802.11ax, 3000Mbps	802.11ax, 3000Mbps	802.11ax, 1500Mbps	802.11ax, 1500Mbps	802.11n, 300Mbps
LTE/5G Antenna	4 int.	=	2 ext.	2 ext.	2 ext.
Wi-Fi Antenna	4 int.	4 int.	4 int.	4 int.	2 ext.
Power	12V/2.5A	12V/1.5A	12V/1.5A	12V/1.5A	12V/1A
WAN Port (RJ45)	GE	GE	GE	GE	FE
LAN Port (RJ45)	GE x 1	GE x 1	GE x 3	GE x 3	FE x 4
PoE out on WAN	-	=	=	=	=
SIM Slot	Nano SIM	_	Mini SIM	Mini SIM	Mini SIM
Buttons	Reset, WPS, power	Reset, WPS, power	Reset, WPS, WLAN, power	Reset, WPS, WLAN, power	Reset, WPS, power
LEDs	1	1	7	7	6
Functionality					•
Dial Up			•	•	•
Failover		_	•	•	•
Data Cap	•		•	•	•
SMS	•	_	•	•	•
PIN	•	=	•	•	•
USSD	_		•	•	•
Wi-Fi Mesh	•	•	•	•	
Static IP/ Dynamic IP/	•	•	•	•	
PPPoE	•	•	•	•	•
IPv4/v6	•	•	•	•	•
Dynamic DNS	•	•	•	•	•
DHCP Server	•	•	•	•	•
Wi-Fi Encryption (WPA2/ WPA3)	•	•	•	•	•
Wi-Fi Guest Zone	•	•	•	•	•
Virtual Server	•	•	•	•	•
Port Forwarding		•	•	•	•
DMZ	•	•	•	•	•
IGMP Proxy/ Snooping	•	•	•	•	•
SPI Firewall		•	•	•	•
DoS		•	•	•	•
L2TP		•	•	•	_
PPTP	•	•	•	•	_
MLD Proxy/Snooping	•	•	•	•	•
UPnP (IGD)	•	•	•	•	•
VLAN	•	•	•	•	•
Parental Control	•	•	•	•	•
Voice					
Management Web Management		•	•	_	•
Web Management	•	•	•	-	•
TR-069/TR-369	•	•	•	•	-

164G/5G Product Catalog17

Product Specifications / On-the-go Internet Series

	F530	DWR-932W	D501	DWM-222W
Description	5G NR AX3000 Wi-Fi 6 Mobile Hotspot	4G LTE N300 Wi-Fi Mobile Hotspot	5G NR USB Adapter	4G LTE USB Adapter
Product Image	3.5.5		Dilata	PUM *
Hardware				
5G NR Sub 6	Release 15	-	Release 16	-
LTE	Cat 19 (DL)/ Cat 18 (UL)	Cat 4	Cat 19 (DL)/ Cat 18 (UL)	Cat 4
Wi-Fi	802.11ax, 3000Mbps	802.11n, 300Mbps	_	_
LTE/5G Antenna	4 int	2 int	4 int	2 int
Wi-Fi Antenna	2 Int.	2 Int.	-	-
Power	5V	5V/1A	5V	5V
USB	Туре С	Type C	Турс С	Type A
SIM Slot	Nano SIM	Mini SIM	Nano SIM	Mini SIM
Buttons	Reset, power	Reset, WPS, power	-	-
LEDs	-	5	1	1
LCD/OLED Display	LED	=	-	-
Battery	5260mAh	2000mAh	-	=
SD card	-	Micro SD (up to 32GB)	-	Micro SD (up to 32GB)
Functionality				
Dial Up	•	•	•	•
Failover	-	-	=	_
Data Cap	•	-	-	•
SMS	•	•	-	•
PIN	•	•	•	•
USSD	_	•	=	-
Wi-Fi Mesh	-	-	-	-
Static IP/ Dynamic IP/ PPPoE	Dynamic IP	Dynamic IP	_	-
IPv4/v6	•	-	-	_
Dynamic DNS	-	=	-	-
DHCP Server	•	•	-	_
Wi-Fi Encryption (WPA2/ WPA3)	•	WPA2	_	_
Wi-Fi Guest Zone	•	-	=	-
Virtual Server	-	-	_	_
Port Forwarding	•	•	_	_
DMZ	•	•	_	_
IGMP proxy/ snooping	-	_	_	_
SPI Firewall	-	=	=	=
DoS	-	-	-	-
L2TP	-	_	=	=
PPTP	-	=	=	=
MLD Proxy/Snooping	-	=	=	=
UPnP (IGD)	-	•	-	=
VLAN	-	-	-	-
Parental Control	_	_	_	_
Management				
Web Management	•	•	_	-
TR-069/TR-369	-	=	=	=

Product List

Product Category	Model	Product Description		
	DWP-1010W	5G NR AX1800 Wi-Fi 6 Outdoor Router		
Fixed Wireless Access ODU /IDU Series	DWP-1010	5G NR Outdoor Router		
	X530P	AX3000 Wi-Fi 6 PoE Router		
	G572V	5G NR BE7200 Wi-Fi 7 Voice Router		
	G572	5G NR BE7200 Wi-Fi 7 Router		
	G530	5G NR AX3000 Wi-Fi 6 Router		
Fixed Wireless Access Indoor CPE Series	X530	AX3000 Wi-Fi 6 Router		
	G416	AX1500 4G CAT6 Smart Router		
	G415	AX1500 4G Smart Router		
	G403	N300 4G Smart Router		
On-the-go Internet	F530	5G NR AX3000 Wi-Fi 6 Mobile Hotspot		
Wi-Fi Mobile Hotspot Series	DWR-932W	4G LTE N300 Wi-Fi Mobile Hotspot		
On-the-go Internet	D501	5G NR USB Adapter		
USB Adapter Series	DWM-222W	4G LTE USB Adapter		

 $[\]hbox{*The theoretical coverage in D-Link Lab testing may vary in different environments.}$

18 4G/5G Product Catalog 19

^{**} Maximum wireless signal rate derived from IEEE Standard 802.11ax specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.

D-Link[®]

Information is subject to change without notice. D-Link and the D-Link logo are trademarks or registered trademarks of D-Link. All other third-party marks mentioned herein may be trademarks of their respective owners.

Copyright ©2024 D-Link Corporation. All Rights Reserved.

